



Public Works Traffic Analysis Comments

Date: 12-16-2024

Subject: Corporate Park of Doral

Permit: LAND-2411-0019

Date Submitted: 11-22-2024

1st Review

Results of the Review:



Approval Recommended

The applicant is proposing to rezone the existing property from Industrial Commercial (IC) to Industrial (I) located at 7785 NW 48 Street the City of Doral. The existing site is currently considered a General Office building (LUC 710) and a Medical-Dental Office building (LUC 720). The applicant is proposing to rezone for the use of Warehouse (LUC 150), General Office building (LUC 710) and Medical-Dental Office building (LUC 720). Based on the Trip Generation analysis, there will be a reduction in Net New Trips for the morning and afternoon peak. The Public Works Department recommends approval.

Advisory comments below are necessary during site plan review process and implementation of the project:

- Approval is subject to review from City of Doral Public Works Department - Plans Review.
- Compliance with the applicable sections of the City's Land Development Code Chapter 77.
- Implementation of the proposed project dealing with roadway construction work, installation of signage, pavement markings and other needed items shall conform to all applicable requirements, standards and regulations of the latest version of the Manual on Uniform Traffic Control Devices (MUTCD), City of Doral, Miami-Dade County Department of Transportation and Public Works, and Miami-Dade Fire Rescue Department.

MEMORANDUM

To: Edna Sibila

City of Doral

From: Adrian K. Dabkowski, P.E., PTOE *AK*

Ariel B. Centurion, E.I. *ABC*

Date: July 17, 2024

Subject: *Corporate Park of Doral
7705 NW 48th Street
Traffic Study Methodology*

The purpose of this memorandum is to summarize the traffic study methodology for the proposed redevelopment of the Corporate Park of Doral located at 7705 NW 48th Street in Doral, Florida. The site proposed for redevelopment is currently occupied by 95,853 square feet of office space and 6,617 square feet of medical office space. There are two (2) redevelopment scenarios being considered. Redevelopment scenario 1 consists of 267,148 square feet of warehousing space and 13,400 square feet of office space. Redevelopment scenario 2 consists of 245,059 square feet of warehousing space, 11,200 square feet of office space, and 6,617 square feet of medical office space. Note the difference in redevelopment scenarios is the existing medical office space which is proposed to remain under redevelopment scenario 2. A project location map and conceptual site plan are provided in Attachment A. The following sections summarize our proposed methodology.

TRIP GENERATION

Trip generation calculations for the existing development and proposed redevelopment were performed using the Institute of Transportation Engineers' (ITE) *Trip Generation Manual*, 11th Edition. The trip generation for the existing development was determined using ITE Land Use Code (LUC) 710 (General Office Building) and LUC 720 (Medical-Dental Office Building). The trip generation for the proposed redevelopment was determined using ITE LUC 150 (Warehousing), LUC 710 (General Office Building), and LUC 720 (Medical-Dental Office Building).

A multimodal (public transit, bicycle, and pedestrian) factor based on US Census *Means of Transportation to Work* data was reviewed for the census tract in the vicinity of the redevelopment. A multimodal factor of 0.7 percent (0.7%) was calculated and applied to the trip generation calculations to account for the urban environment in which the project site is located. It is expected that a portion of employees and visitors will choose to walk, bike, or use public transit to and from the proposed redevelopment. Transit route information will be documented in the report.

Two (2) Miami-Dade County Department of Transportation and Public Works (DTPW) routes and one (1) City of Doral Trolley route currently operate in close proximity (within ½ mile) to the site during the A.M. and P.M. peak hours. Detailed transit route information is included in Attachment B.

- **DTPW Route 36** operates along NW 79th Avenue in the vicinity of the project site with the nearest stop located just north of NW 48th Street. This route operates with approximately

20-minute headways in the eastbound and westbound directions during the A.M and P.M. peak hours.

- **DTPW Route 132** operates along NW 79th Avenue in the vicinity of the project site with the nearest stop located just north of NW 48th Street. This route operates with approximately 15-minute headways in the eastbound and westbound directions during the A.M and P.M. peak hours.
- **City of Doral Trolley Route 2** operates along NW 79th Avenue in the vicinity of the project site with the nearest stop located just north of NW 48th Street. This route operates with approximately 40-minute headways in the eastbound and westbound directions during the A.M and P.M. peak hours.

As shown in Table 1, redevelopment scenario 1 is expected to result in a reduction of 96 net new external vehicular trips during the weekday A.M. peak hour and a reduction of 94 net new external vehicular trips during the weekday P.M. peak hour. Redevelopment scenario 2 is expected to result in a reduction of 83 net new external vehicular trips during the weekday A.M. peak hour and a reduction of 77 net new external vehicular trips during the weekday P.M. peak hour. Trip generation calculations may be revised based on revisions to the redevelopment program or site plan modifications. Detailed trip generation calculations and US Census *Means of Transportation to Work* data are included in Attachment C.

Table 1: Proposed Net New Trip Generation

A.M. (P.M.) Peak Hour				
Land Use (ITE Code)	Scale	Entering Trips	Exiting Trips	Net New External Trips
<i>Existing Development</i>				
General Office Building (710)	95,853 square feet	141 (27)	19 (132)	160 (159)
Medical-Dental Office Building (720)	6,617 square feet	17 (7)	4 (17)	21 (24)
<i>Redevelopment Scenario 1</i>				
Warehousing (150)	267,148 square feet	42 (17)	13 (41)	55 (58)
General Office Building (710)	13,400 square feet	26 (5)	4 (26)	30 (31)
<i>Net New Redevelopment Scenario 1</i>				
Net New Vehicle Trips (vph)		-90 (-12)	-6 (-82)	-96 (-94)
<i>Redevelopment Scenario 2</i>				
Warehousing (150)	245,059 square feet	40 (15)	12 (40)	52 (55)
General Office Building (710)	11,200 square feet	22 (5)	3 (22)	25 (27)
Medical-Dental Office Building (720)	6,617 square feet	17 (7)	4 (17)	21 (24)
<i>Net New Redevelopment Scenario 2</i>				
Net New Vehicle Trips (vph)		-79 (-7)	-4 (-70)	-83 (-77)

STUDY AREA

As both redevelopment scenarios generate a reduction in net new external trips, no other external intersections or roadways are proposed to be analyzed.

TURN LANE ANALYSIS

A right and left turn-lane analysis will be conducted at the intersection of NW 79th Avenue and NW 47th Street/NW 48th Street. The analysis will determine whether exclusive right-turn lanes or left-turn lanes will be required based on Section 77-46 of the City's Code of Ordinances and Florida Department of Transportation's (FDOT) *Multimodal Access Management Guidebook*, 2023.


DOCUMENTATION

The results of the traffic analysis will be summarized in a technical memorandum. The memorandum will include supporting documents related to the analyses performed. The memorandum will also include text and graphics necessary to summarize the assumptions and analysis.

K:\FTL_TPTO\143818000 - Corporate Park of Doral\Correspondence\Corporate Park of Doral Methodology.docx

Attachment A

Project Location Map and Conceptual Site Plan



Kimley»Horn
© 2024


Attachment A
Project Location Map
Corporate Park of Doral
Doral, Florida

1

SITE PLAN - SCHEME 1

BRIDGE

Scheme 1		Ft ²	ACRES	%
TOTAL SITE AREA		±685,429	±15.7	100.0
Site A		±605,819	±13.9	88.0
Site B		±79,611	±1.8	12.0
Net Development Area (TOTAL)		±685,429	±15.7	100.0
OPEN SPACE				
Net Development Area		±685,429	±15.7	100.0
Open Space Site A		±92,379	±2.1	15.2
Total Open Space Required "A"		±90,873	±2.1	15.0
Open Space Site B		±26,715	±0.6	33.6
Total Open Space Required "B"		±15,922	±0.4	20.0
DEVELOPMENT PROPOSAL				
GROSS BUILDING AREA		Ft ²	PARKING SPACES	PARKING RATIO (1/1000)
BUILDING 1		±154,294	±89	±0.58
BUILDING 2		±126,254	±106	±0.62
<i>Subtotal</i>		±280,548	±195	±0.60
PARKING REQUIREMENTS (CODE)				
OFFICE B1 (1/300 SF)		±2,400	±8	
Warehouse B1 (1/1000) <10,000		±10,000	±10	
WAREHOUSE B1 (1/2000 SF)		±141,894	±71	
TOTAL PARKING SPACES REQ. (CODE)			±89	±1.00
OFFICE B2 (1/300 SF)		±11,000	±37	
Warehouse B2 (1/1000) <10,000		±10,000	±10	
WAREHOUSE B2 (1/2000 SF)		±105,254	±53	
TOTAL PARKING SPACES REQ. (CODE)			±99	±1.00
COVERAGE				
				40.9




2

SITE PLAN - SCHEME 2


ALL BRIDGE

Scheme 2		Ft²	ACRES	%
TOTAL SITE AREA		±685,429	±15.7	100
Site A		±605,819	±13.9	88
Site B		±79,611	±1.8	12
Net Development Area (TOTAL)		±685,429	±15.7	100
OPEN SPACE				
Net Development Area		±685,429	±15.7	100
Open Space Site A		±115,196	±2.6	19.0
Total Open Space Required "A"		±90,873	±2.1	15.0
Open Space Site B		±26,715	±0.6	33.6
Total Open Space Required "B"		±15,922	±0.4	20.0
DEVELOPMENT PROPOSAL				
GROSS BUILDING AREA		Ft²	PARKING SPACES	PARKING RATIO (1/1000)
BUILDING 1		±154,294	±89	±0.
BUILDING 2		±101,965	±87	±0.
<i>Subtotal</i>		±256,259	±176	±0.
PARKING REQUIREMENTS (CODE)		Ft²	SPACES	PROVIDED
OFFICE B1 (1/300 SF)		±2,400	±8	
Warehouse B1 (1/1000) <10,000		±10,000	±10	
WAREHOUSE B1 (1/2000 SF)		±141,894	±71	
TOTAL PARKING SPACES REQ. (CODE)			±89	±
OFFICE B2 (1/300 SF)		±8,800	±29	
Warehouse B2 (1/1000) <10,000		±10,000	±10	
WAREHOUSE B2 (1/2000 SF)		±83,165	±42	
TOTAL PARKING SPACES REQ. (CODE)			±81	±
COVERAGE				37.4%



 ARCADIS

BRIDGE POINT DORAL 826



06.25.24

Attachment B

Transit Service Data

SERVICE FREQUENCIES

FRECUENCIAS DE SERVICIO / FREKANS SÈVIS YO

	FROM DESDE / DE	TO HASTA / A	EVERY CADA / CHAK
WEEKDAY DIAS LABORABLES LASEMÈN	4:00 a.m.	6:00 a.m.	30 min (36+36A) 60 min (36) 60 min (36A)
	6:00 a.m.	10:00 p.m.	15 min (36+36A) 30 min (36) 30 min (36A)
	10:00 p.m.	12:00 a.m.	30 min (36+36A) 60 min (36) 60 min (36A)
SATURDAY SÁBADO SAMDI	5:00 a.m.	7:00 a.m.	30 min (36+36A) 60 min (36) 60 min (36A)
	7:00 a.m.	10:00 p.m.	15 min (36+36A) 30 min (36) 30 min (36A)
	10:00 p.m.	12:00 a.m.	30 min (36+36A) 60 min (36) 60 min (36A)
SUNDAY DOMINGO DIMANCH	5:00 a.m.	6:00 a.m.	60 min (36A)
	6:00 a.m.	8:00 a.m.	30 min (36+36A) 60 min (36) 60 min (36A)
	8:00 a.m.	8:00 p.m.	20 min (36+36A) 40 min (36) 40 min (36A)
	8:00 p.m.	12:00 a.m.	60 min (36A)

Frequencies are approximate and may vary depending on traffic and road conditions.
Las frecuencias son aproximadas, pues dependen del tráfico y otras condiciones de las vías.
Asosye yo apwoksimatif epi yo ka varye selon kondisyon sikilasyon sou wout yo.

Language Assistance: Miami-Dade Transit (MDT) is committed to providing information about its transit services to passengers with limited English as part of its non-discrimination program. MDT publishes route information in Spanish and Haitian Creole and offers assistance in both languages at our Call Center at 3-1-1 or 305-468-5900. For more information, call MDT's Office of Civil Rights & Labor Relations at 786-469-5486.

Miami-Dade County provides equal access and equal opportunity in employment and does not discriminate on the basis of disability in its programs or services. Auxiliary aids and services for communication are available with five days' advance notice. For material in alternate format (audiotape, Braille or computer disk), a signlanguage interpreter or other accommodations, please contact: Miami-Dade Transit, Office of Civil Rights and Labor Relations, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Attention: ADA Coordinator. Telephone: 786-469-5225, Fax: 786-469-5589. E-mail: DTPW-ADA@miamidade.gov.

Español: El Departamento de Transporte Público de Miami-Dade (MDT, su sigla en inglés) está dedicado a proveer información sobre sus servicios a los pasajeros que no hablan inglés. MDT publica información sobre sus rutas de autobús en español y creole haitiano y ofrece asistencia en ambos idiomas en nuestro Centro de Llamadas en el 3-1-1 o 305-468-5900. Para más informacion, llame la Oficina de Derechos Humanos y Relaciones Laborales de MDT al 786-469-5486.

El Condado de Miami-Dade ofrece igualdad de acceso y de oportunidades en el empleo y no practica la discriminación por discapacidad, en sus programas o servicios. Los dispositivos y servicios de ayuda auditiva para la comunicación están disponibles previa solicitud, con cinco días de anticipación. Para obtener materiales en formato alternativo (cinta de audio, Braille o disco de computadora), para solicitar un intérprete del lenguaje de las señas u otros servicios similares sírvase llamar a: Transporte de Miami-Dade, Oficina de Derechos Civiles y Relaciones Laborales, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Atención: ADA Coordinator. Teléfono: 786-469-5225, Fax: 786-469-5589. Correo electrónico: DTPW-ADA@miamidade.gov.

Kreyòl Ayisyen: Miami-Dade Transit (MDT) angaje li a bay pasaje ak konesans limite an Anglè yo tout enfòmasyon sou sèvis transpò publik nan lang pa yo. MDT pibliye enfòmasyon sou trajè otobis yo an Espanyòl ak an Kreyòl Ayisyen epi li bay asistans nan toude lang yo nan Sant Repons nou an 3-1-1 oswa 305-468-5900. Pou plis enfòmasyon, rele Biwo Dwa Sivik ak Relasyon Travay MDT la nan 786-469-5486.

Konte Miami-Dade bay aksè ak opòtinité egal ego nan anplwa epi li pa fè diskriminasyon baze sou enfi mite nan pwogram li yo ak sèvis li yo. Aparèy ak sèvis komunikasyon pou moun ki pa tande/wè byen yo disponib ak yon preyavi senk jou. Pou jwenn dokiman nan lòt fòma (tep odio, Bray oswa disk konpit), sèvis yon entèprèt ki pale lang siy oswa lòt akomodasyon, tanpri kontakte: Miami-Dade Transit, Biwo Dwa Civil ak Relasyon Travay, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Atansyon: ADA Coordinator. Telefon: 786-469-5225, Faks: 786-469-5589. Imel: DTPW-ADA@miamidade.gov.



miamidade.gov/transportation

Information • Información • Enfòmasyon

311 (305.468.5900) TTY/Florida Relay: 711

Download on the App Store Get it on Google Play

@GoMiamiDade

GO Miami-Dade Transit



36/36A METROBUS

MARCH 2024 MARZO 2024 | MAS 2024

- Local service seven days a week.
- Travels from Downtown Doral to South Beach along NW/NE 36 St, the Julia Tuttle Causeway and Collins Ave.
- Route 36A travels from Miami International Airport station.
- Stops include Allapattah Metrorail station.

- Servicio local los siete días de la semana.
- Va desde el downtown del Doral hasta South Beach, pasando por NW/NE 36 St, Julia Tuttle Causeway y Collins Ave.
- La ruta 36A comienza en la estación del Aeropuerto Internacional de Miami.
- Con parada en la estación de Allapattah del Metrorail.

- Sèvis lokal sèt jou sou sèt.
- Vwayaje soti nan Downtown Doral rive nan South Beach sou NW/NE 36 St, Julia Tuttle Causeway ak Collins Ave.
- Wout 36A vwayaje soti nan estasyon Ayewòpò Entènasyonal Miami.
- Arè yo gen ladan estasyon Allapattah Metrorail.



MORE INFORMATION
MÁS INFORMACIÓN | PLIS ENFÒMASYON


DRIVE LESS. LIVE MORE.

MIAMI-DADE
COUNTY

DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS



36/36A



SERVICE FREQUENCIES

FRECUENCIAS DE SERVICIO / FREKANS SÈV YO

WEEKDAY DIAS LABORABLES LASEMÈN	FROM DESDE / DE	TO HASTA / A	EVERY CADA / CHAK
	6:30 a.m.	9:00 a.m.	60 min
	3:00 p.m.	5:45 p.m.	60 min

Frequencies are approximate and may vary depending on traffic and road conditions
 / Frecuencias son aproximadas, pues dependen del tráfico y otras condiciones de las vías / Asosye yo apwoksimatif epi yo ka varye selon kondisyon sikilasyon sou wout yo

metroCONNECT
YOUR FREE AND DIRECT CONNECTION TO BETTER BUS

SCAN TO DOWNLOAD
THE APP OR CALL
786-321-5842



MIAMIDADE COUNTY
Powered by VIQ

Language Assistance: Miami-Dade Transit (MDT) is committed to providing information about its transit services to passengers with limited English as part of its non-discrimination program. MDT publishes route information in Spanish and Haitian Creole and offers assistance in both languages at our Call Center at 3-1-1 or 305-468-5900. For more information, call MDT's Office of Civil Rights & Labor Relations at 786-469-5486.

Miami-Dade County provides equal access and equal opportunity in employment and does not discriminate on the basis of disability in its programs or services. Auxiliary aids and services for communication are available with five days' advance notice. For material in alternate format (audiotape, Braille or computer disk), a signlanguage interpreter or other accommodations, please contact: Miami-Dade Transit, Office of Civil Rights and Labor Relations, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Attention: ADA Coordinator. Telephone: 786-469-5225, Fax: 786-469-5589. E-mail: DTPW-ADA@miamidade.gov.

Español: El Departamento de Transporte Público de Miami-Dade (MDT, su sigla en inglés) está dedicado a proveer información sobre sus servicios a los pasajeros que no hablan inglés. MDT publica información sobre sus rutas de autobús en español y creole haitiano y ofrece asistencia en ambos idiomas en nuestro Centro de Llamadas en el 3-1-1 o 305-468-5900. Para más informacion, llame la Oficina de Derechos Humanos y Relaciones Laborales de MDT al 786-469-5486.

El Condado de Miami-Dade ofrece igualdad de acceso y de oportunidades en el empleo y no practica la discriminación por discapacidad, en sus programas o servicios. Los dispositivos y servicios de ayuda auditiva para la comunicación están disponibles previa solicitud, con cinco días de anticipación. Para obtener materiales en formato alternativo (cinta de audio, Braille o disco de computadora), para solicitar un intérprete del lenguaje de las señas u otros servicios similares sírvase llamar a: Transporte de Miami-Dade, Oficina de Derechos Civiles y Relaciones Laborales, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Atención: ADA Coordinator. Teléfono: 786-469-5225, Fax: 786-469-5589. Correo electrónico: DTPW-ADA@miamidade.gov.

Kreyòl Ayisyen: Miami-Dade Transit (MDT) angaje li a bay pasaje ak konesans limite an Anglè yo tout enfòmasyon sou sèvis transpò publik nan lang pa yo. MDT pibliye enfòmasyon sou trajè otobis yo an Espanyòl ak an Kreyòl Ayisyen epi li bay asistans nan toude lang yo nan Sant Repons nou an 3-1-1 oswa 305-468-5900. Pou plis enfòmasyon, rele Biwo Dwa Sivik ak Relasyon Travay MDT la nan 786-469-5486.

Konte Miami-Dade bay aksè ak opòtinité egal ego nan anplwa epi li pa fè diskriminasyon baze sou enfi mite nan pwogram li yo ak sèvis li yo. Aparèy ak sèvis komunikasyon pou moun ki pa tande/wè byen yo disponib ak yon preyavi senk jou. Pou jwenn dokiman nan lòt fòma (tep odyo, Bray oswa disk konpit), sèvis yon entèprèt ki pale lang siy oswa lòt akomodasyon, tanpri kontakte: Miami-Dade Transit, Biwo Dwa Civil ak Relasyon Travay, 701 NW 1st Court, Suite 1700, Miami, FL 33136. Atansyon: ADA Coordinator. Telèfòn: 786-469-5225, Faks: 786-469-5589. Imel: DTPW-ADA@miamidade.gov.



miamidade.gov/transportation

Information • Información • Enfòmasyon

311 (305.468.5900) TTY/Florida Relay: 711

@GoMiamiDade



Download on the
App Store

Get it on
Google Play

GO Miami-Dade Transit



132

M
METROBUS



MARCH 2024 MARZO 2024 | MAS 2024

TRI-RAIL DORAL SHUTTLE



- Local service, weekday mornings and afternoons.
- Travels from Hialeah Market Tri-Rail station to Downtown Doral along NW 42 Ave, NW 36 St, NW 79 Ave and NW 87 Ave.

- Servicio local, en las mañanas y las tardes de los días laborables.
- Va desde la estación Hialeah Market del Tri-Rail hasta el downtown del Doral, pasando por NW 42 Ave, NW 36 St, NW 79 Ave y NW 87 Ave.

- Sèvis lokal, maten ak apremidi lasemèn.
- Vwayaje soti nan estasyon Hialeah Market Tri-Rail pou rive nan Downtown Doral sou NW 42 Ave, NW 36 St, NW 79 Ave ak NW 87 Ave.



MORE INFORMATION
MÁS INFORMACIÓN | PLIS ENFÒMASYON

DRIVE LESS. LIVE MORE.TM


MIAMI-DADE
COUNTY

DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS




132

TRI-RAIL DORAL SHUTTLE



NORTH

11/2023



Doral Trolley Route 2 Weekday Schedule																										
Direction	Stop	Road	Location	Nearby Landmark	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2
SB	2001	NW 79 Pl	NW 77 St	MetroRail Station	6:14 AM	6:59 AM	7:39 AM	8:49 AM	9:29 AM	10:19 AM	10:54 AM	11:46 AM	12:23 PM	1:09 PM	1:54 PM	2:40 PM	3:24 PM	4:24 PM	5:09 PM	6:15 PM	6:53 PM	7:59 PM				
	2002	NW 87 Ave	South of NW 58 St		6:24 AM	7:10 AM	7:50 AM	8:59 AM	9:39 AM	10:29 AM	11:04 AM	11:56 AM	12:33 PM	1:19 PM	2:04 PM	2:50 PM	3:34 PM	4:35 PM	5:19 PM	6:25 PM	7:03 PM	8:09 PM				
	2003	NW 53 St	East of NW 87 Ave		6:25 AM	7:12 AM	7:52 AM	9:00 AM	9:41 AM	10:31 AM	11:05 AM	11:57 AM	12:35 PM	1:21 PM	2:05 PM	2:52 PM	3:36 PM	4:36 PM	5:21 PM	6:27 PM	7:05 PM	8:11 PM				
	2004	NW 53 St	East of NW 84 Ave	Downtown Doral Charter Elementary	6:26 AM	7:13 AM	7:53 AM	9:01 AM	9:42 AM	10:32 AM	11:06 AM	11:58 AM	12:36 PM	1:22 PM	2:06 PM	2:53 PM	3:37 PM	4:37 PM	5:22 PM	6:28 PM	7:06 PM	8:12 PM				
	2005	NW 53 St	East o NW 52 Terr		6:26 AM	7:13 AM	7:53 AM	9:02 AM	9:42 AM	10:32 AM	11:06 AM	11:59 AM	12:36 PM	1:22 PM	2:06 PM	2:53 PM	3:37 PM	4:38 PM	5:22 PM	6:28 PM	7:06 PM	8:12 PM				
	2006	NW 53 St	West of 8100	Cordoba	6:28 AM	7:14 AM	7:55 AM	9:03 AM	9:43 AM	10:33 AM	11:08 AM	12:00 PM	12:37 PM	1:23 PM	2:08 PM	2:54 PM	3:39 PM	4:39 PM	5:23 PM	6:29 PM	7:07 PM	8:13 PM				
	2007	NW 79 Ave	South of NW 50 St	Doral Gardens II	6:29 AM	7:16 AM	7:56 AM	9:04 AM	9:45 AM	10:35 AM	11:09 AM	12:01 PM	12:39 PM	1:25 PM	2:09 PM	2:56 PM	3:41 PM	4:41 PM	5:25 PM	6:31 PM	7:09 PM	8:15 PM				
	2008	NW 79 Ave	South of NW 48 Way	Doral Gardens II	6:30 AM	7:17 AM	7:57 AM	9:05 AM	9:45 AM	10:36 AM	11:10 AM	12:02 PM	12:39 PM	1:26 PM	2:10 PM	2:57 PM	3:42 PM	4:42 PM	5:26 PM	6:32 PM	7:09 PM	8:16 PM				
	2009	NW 79 Ave	South of NW 46 St	Doral Gardens I	6:31 AM	7:18 AM	7:58 AM	9:06 AM	9:46 AM	10:36 AM	11:11 AM	12:03 PM	12:40 PM	1:26 PM	2:11 PM	2:58 PM	3:43 PM	4:43 PM	5:27 PM	6:33 PM	7:10 PM	8:16 PM				
	2010	NW 79 Ave	North of NW 41 St		6:31 AM	7:19 AM	7:59 AM	9:07 AM	9:47 AM	10:37 AM	11:11 AM	12:04 PM	12:41 PM	1:27 PM	2:11 PM	3:00 PM	3:44 PM	4:44 PM	5:28 PM	6:35 PM	7:11 PM	8:17 PM				
	2012	NW 79 Ave	South of NW 37 St	Hampton Inn	6:33 AM	7:20 AM	8:01 AM	9:08 AM	9:48 AM	10:39 AM	11:13 AM	12:05 PM	12:42 PM	1:29 PM	2:13 PM	3:01 PM	3:45 PM	4:46 PM	5:30 PM	6:36 PM	7:12 PM	8:19 PM				
	2013	NW 79 Ave	North of NW 33 St		6:34 AM	7:21 AM	8:01 AM	9:09 AM	9:49 AM	10:39 AM	11:14 AM	12:06 PM	12:43 PM	1:29 PM	2:14 PM	3:02 PM	3:46 PM	4:46 PM	5:30 PM	6:37 PM	7:13 PM	8:19 PM				
	2063	NW 79 Ave	North of NW 29 St	Doral Décor District	6:35 AM	7:22 AM	8:02 AM	9:10 AM	9:50 AM	10:40 AM	11:15 AM	12:07 PM	12:44 PM	1:30 PM	2:15 PM	3:02 PM	3:47 PM	4:47 PM	5:31 PM	6:37 PM	7:14 PM	8:20 PM				
	2064	NW 79 Ave	North of NW 25 St	Jackson West Medical Center	6:36 AM	7:23 AM	8:03 AM	9:11 AM	9:51 AM	10:41 AM	11:16 AM	12:08 PM	12:45 PM	1:31 PM	2:16 PM	3:03 PM	3:47 PM	4:48 PM	5:32 PM	6:38 PM	7:15 PM	8:21 PM				
	2065	NW 82 Ave	North of NW 27 St		6:38 AM	7:24 AM	8:05 AM	9:13 AM	9:53 AM	10:43 AM	11:18 AM	12:10 PM	12:47 PM	1:33 PM	2:18 PM	3:05 PM	3:49 PM	4:49 PM	5:34 PM	6:40 PM	7:17 PM	8:23 PM				
	2066	NW 82 Ave	South of NW 31 St		6:39 AM	7:25 AM	8:06 AM	9:14 AM	9:54 AM	10:44 AM	11:19 AM	12:11 PM	12:48 PM	1:34 PM	2:19 PM	3:06 PM	3:50 PM	4:50 PM	5:35 PM	6:41 PM	7:18 PM	8:24 PM				
	2014	NW 33 St	West of NW 82 Ave	Oasis	6:39 AM	7:26 AM	8:07 AM	9:15 AM	9:55 AM	10:45 AM	11:19 AM	12:12 PM	12:49 PM	1:35 PM	2:19 PM	3:07 PM	3:51 PM	4:51 PM	5:35 PM	6:42 PM	7:19 PM	8:25 PM				
	2015	NW 33 St	West of NW 84 Ave	Opp. Renaissance Elementary	6:40 AM	7:27 AM	8:08 AM	9:15 AM	9:55 AM	10:46 AM	11:20 AM	12:12 PM	12:49 PM	1:36 PM	2:20 PM	3:08 PM	3:52 PM	4:52 PM	5:36 PM	6:43 PM	7:19 PM	8:26 PM				
	2016	NW 33 St	East of NW 87 Ave	Carnival Cruise Line	6:41 AM	7:28 AM	8:08 AM	9:16 AM	9:56 AM	10:46 AM	11:21 AM	12:13 PM	12:50 PM	1:36 PM	2:21 PM	3:08 PM	3:52 PM	4:53 PM	5:37 PM	6:43 PM	7:20 PM	8:26 PM				
	2017	NW 33 St	West of NW 87 Ave	Wawa	6:41 AM	7:29 AM	8:09 AM	9:16 AM	9:57 AM	10:47 AM	11:21 AM	12:13 PM	12:51 PM	1:37 PM	2:21 PM	3:09 PM	3:53 PM	4:53 PM	5:38 PM	6:44 PM	7:21 PM	8:27 PM				
	2018	NW 33 St	West of NW 89 Ct	Miami Herald	6:42 AM	7:31 AM	8:11 AM	9:17 AM	9:58 AM	10:48 AM	11:22 AM	12:14 PM	12:52 PM	1:38 PM	2:22 PM	3:10 PM	3:54 PM	4:55 PM	5:39 PM	6:45 PM	7:22 PM	8:28 PM				
	2019	NW 33 St	West of 9300 Blk	U.S. Southern Command	6:43 AM	7:32 AM	8:12 AM	9:18 AM	9:59 AM	10:49 AM	11:23 AM	12:15 PM	12:53 PM	1:39 PM	2:23 PM	3:11 PM	3:56 PM	4:56 PM	5:40 PM	6:46 PM	7:23 PM	8:29 PM				
	2020	NW 97 Ave	South of NW 33 St	Costa Brava	6:44 AM	7:34 AM	8:14 AM	9:20 AM	10:00 AM	10:50 AM	11:24 AM	12:17 PM	12:54 PM	1:40 PM	2:24 PM	3:13 PM	3:57 PM	4:57 PM	5:42 PM	6:48 PM	7:24 PM	8:30 PM				
	2067	NW 97 Ave	South of NW 27 St		6:47 AM	7:37 AM	8:18 AM	9:22 AM	10:02 AM	10:52 AM	11:27 AM	12:19 PM	12:56 PM	1:42 PM	2:27 PM	3:16 PM	4:00 PM	5:01 PM	5:45 PM	6:51 PM	7:26 PM	8:32 PM				
	2068	NW 97 Ave	South of NW 25 St	Doral Academy Elementary	6:48 AM	7:40 AM	8:20 AM	9:23 AM	10:04 AM	10:54 AM	11:28 AM	12:20 PM	12:58 PM	1:44 PM	2:28 PM	3:18 PM	4:03 PM	5:03 PM	5:47 PM	6:53 PM	7:28 PM	8:34 PM				
	2069	NW 17 St	West of NW 97 Ave	United States Postal Service	6:49 AM	7:41 AM	8:21 AM	9:24 AM	10:05 AM	10:55 AM	11:29 AM	12:21 PM	12:59 PM	1:45 PM	2:29 PM	3:19 PM	4:04 PM	5:04 PM	5:48 PM	6:54 PM	7:29 PM	8:35 PM				
	2070	NW 17 St	East of NW 102 Ave	DoubleTree Hotel and Residence Inn Hotel	6:50 AM	7:42 AM	8:22 AM	9:25 AM	10:05 AM	10:56 AM	11:30 AM	12:22 PM	12:59 PM	1:46 PM	2:30 PM	3:20 PM	4:04 PM	5:05 PM	5:49 PM	6:55 PM	7:29 PM	8:36 PM				
	2071	NW 102 Ave	South of NW 21 St		6:50 AM	7:43 AM	8:23 AM	9:26 AM	10:06 AM	10:57 AM																

Doral Trolley Route 2 Weekday Schedule																						
Direction	Stop	Road	Location	Nearby Landmark	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2	B-1	B-2		
NB	2027	NW 115 Ave	South of NW 39 St	Miami-Dade College West Campus	7:03 AM	7:57 AM	8:38 AM	9:38 AM	10:18 AM	11:08 AM	11:43 AM	12:35 PM	1:12 PM	1:58 PM	2:43 PM	3:35 PM	4:19 PM	5:19 PM	6:03 PM	7:10 PM	7:42 PM	8:48 PM
	2028	NW 115 Ave	South of NW 41 St	Doral Shops Plaza	7:03 AM	7:58 AM	8:38 AM	9:38 AM	10:19 AM	11:09 AM	11:43 AM	12:35 PM	1:13 PM	1:59 PM	2:43 PM	3:35 PM	4:19 PM	5:20 PM	6:04 PM	7:10 PM	7:43 PM	8:49 PM
	2029	NW 41 St	East of NW 114 Ave	The Imagination Factory	7:04 AM	7:59 AM	8:39 AM	9:39 AM	10:20 AM	11:10 AM	11:44 AM	12:36 PM	1:14 PM	2:00 PM	2:44 PM	3:36 PM	4:21 PM	5:21 PM	6:05 PM	7:11 PM	7:44 PM	8:50 PM
	2030	NW 41 St	West of NW 107 Ave	Citibank	7:06 AM	8:01 AM	8:41 AM	9:41 AM	10:22 AM	11:12 AM	11:46 AM	12:38 PM	1:16 PM	2:02 PM	2:46 PM	3:39 PM	4:23 PM	5:23 PM	6:08 PM	7:14 PM	7:46 PM	8:52 PM
	2031	NW 41 St	East of NW 107 Ave	San Ignacio University	7:07 AM	8:02 AM	8:42 AM	9:42 AM	10:22 AM	11:12 AM	11:47 AM	12:39 PM	1:16 PM	2:02 PM	2:47 PM	3:40 PM	4:24 PM	5:24 PM	6:08 PM	7:15 PM	7:46 PM	8:52 PM
	2032	NW 41 St	East of NW 104 Ave	Hellmann	7:07 AM	8:03 AM	8:43 AM	9:43 AM	10:23 AM	11:13 AM	11:47 AM	12:40 PM	1:17 PM	2:03 PM	2:47 PM	3:41 PM	4:25 PM	5:25 PM	6:09 PM	7:16 PM	7:47 PM	8:53 PM
	2033	NW 41 St	East of NW 102 Ave	Costa del Sol	7:08 AM	8:04 AM	8:44 AM	9:43 AM	10:24 AM	11:14 AM	11:48 AM	12:40 PM	1:18 PM	2:04 PM	2:48 PM	3:42 PM	4:26 PM	5:26 PM	6:10 PM	7:17 PM	7:48 PM	8:54 PM
	2034	NW 41 St	West of NW 97 Ave	HSBC	7:10 AM	8:06 AM	8:46 AM	9:45 AM	10:26 AM	11:16 AM	11:50 AM	12:42 PM	1:20 PM	2:06 PM	2:50 PM	3:44 PM	4:28 PM	5:29 PM	6:13 PM	7:19 PM	7:50 PM	8:56 PM
	2035	NW 41 St	East of NW 97 Ave	9690 Plaza (Einstein Bagels)	7:10 AM	8:06 AM	8:46 AM	9:46 AM	10:26 AM	11:16 AM	11:50 AM	12:43 PM	1:20 PM	2:06 PM	2:50 PM	3:44 PM	4:29 PM	5:29 PM	6:13 PM	7:19 PM	7:50 PM	8:56 PM
	2036	NW 41 St	West of NW 93 Ct	MDC Fire Rescue HQ	7:11 AM	8:07 AM	8:47 AM	9:46 AM	10:27 AM	11:17 AM	11:51 AM	12:43 PM	1:21 PM	2:07 PM	2:51 PM	3:45 PM	4:30 PM	5:30 PM	6:14 PM	7:20 PM	7:51 PM	8:57 PM
	2037	NW 36 St	9100 NW 36 St	Federal Reserve	7:12 AM	8:08 AM	8:48 AM	9:47 AM	10:27 AM	11:18 AM	11:52 AM	12:44 PM	1:21 PM	2:08 PM	2:52 PM	3:47 PM	4:31 PM	5:31 PM	6:15 PM	7:22 PM	7:51 PM	8:58 PM
	2047	NW 36 St	W of NW 8800 Blk	Bus Shelter	7:13 AM	8:09 AM	8:49 AM	9:48 AM	10:28 AM	11:18 AM	11:53 AM	12:45 PM	1:22 PM	2:08 PM	2:53 PM	3:48 PM	4:32 PM	5:32 PM	6:16 PM	7:23 PM	7:52 PM	8:58 PM
	2048	NW 36 St	West of NW 87 Ave	Doral Corporate Center	7:13 AM	8:09 AM	8:50 AM	9:48 AM	10:29 AM	11:19 AM	11:53 AM	12:45 PM	1:23 PM	2:09 PM	2:53 PM	3:48 PM	4:32 PM	5:33 PM	6:17 PM	7:23 PM	7:53 PM	8:59 PM
	2049	NW 36 St	East of NW 87 Ave		7:14 AM	8:10 AM	8:50 AM	9:49 AM	10:29 AM	11:19 AM	11:54 AM	12:46 PM	1:23 PM	2:09 PM	2:54 PM	3:49 PM	4:33 PM	5:34 PM	6:18 PM	7:24 PM	7:53 PM	8:59 PM
	2050	NW 36 St	West of NW 8400 Block		7:14 AM	8:10 AM	8:51 AM	9:49 AM	10:30 AM	11:20 AM	11:54 AM	12:46 PM	1:24 PM	2:10 PM	2:54 PM	3:50 PM	4:34 PM	5:34 PM	6:18 PM	7:25 PM	7:54 PM	9:00 PM
	2052	NW 82 Ave	North of NW 36 St		7:17 AM	8:13 AM	8:53 AM	9:52 AM	10:32 AM	11:22 AM	11:57 AM	12:49 PM	1:26 PM	2:12 PM	2:57 PM	3:51 PM	4:35 PM	5:36 PM	6:20 PM	7:26 PM	7:56 PM	9:02 PM
	2054	NW 79 Ave	North of NW 41 St		7:18 AM	8:14 AM	8:54 AM	9:53 AM	10:33 AM	11:23 AM	11:58 AM	12:50 PM	1:27 PM	2:13 PM	2:58 PM	3:53 PM	4:37 PM	5:37 PM	6:22 PM	7:28 PM	7:57 PM	9:03 PM
	2056	NW 79 Ave	North of NW 48 St		7:18 AM	8:15 AM	8:55 AM	9:54 AM	10:34 AM	11:24 AM	11:58 AM	12:51 PM	1:28 PM	2:14 PM	2:58 PM	3:54 PM	4:39 PM	5:39 PM	6:23 PM	7:29 PM	7:58 PM	9:04 PM
	2057	NW 79 Ave	South of NW 50 St		7:19 AM	8:15 AM	8:56 AM	9:54 AM	10:34 AM	11:25 AM	11:59 AM	12:51 PM	1:28 PM	2:15 PM	2:59 PM	3:55 PM	4:39 PM	5:40 PM	6:24 PM	7:30 PM	7:58 PM	9:05 PM
	2058	NW 53 St	West of NW 79 Ave		7:20 AM	8:17 AM	8:57 AM	9:55 AM	10:36 AM	11:26 AM	12:00 PM	12:52 PM	1:30 PM	2:16 PM	3:00 PM	3:56 PM	4:41 PM	5:41 PM	6:25 PM	7:31 PM	8:00 PM	9:06 PM
	2059	NW 53 St	East of NW 53 Ter	8333 Building	7:21 AM	8:18 AM	8:58 AM	9:56 AM	10:37 AM	11:27 AM	12:01 PM	12:53 PM	1:31 PM	2:17 PM	3:01 PM	3:57 PM	4:42 PM	5:42 PM	6:26 PM	7:32 PM	8:01 PM	9:07 PM
	2060	NW 53 St	East of NW 84 Ave	Downtown Doral Park	7:22 AM	8:18 AM	8:59 AM	9:57 AM	10:37 AM	11:28 AM	12:02 PM	12:54 PM	1:31 PM	2:18 PM	3:02 PM	3:58 PM	4:42 PM	5:43 PM	6:27 PM	7:33 PM	8:01 PM	9:08 PM
	2061	NW 53 St	East of NW 87 Ave		7:22 AM	8:19 AM	8:59 AM	9:58 AM	10:38 AM	11:28 AM	12:02 PM	12:55 PM	1:32 PM	2:18 PM	3:02 PM	3:59 PM	4:43 PM	5:43 PM	6:28 PM	7:34 PM	8:02 PM	9:08 PM
	2001	NW 79 Pl	NW 77 St	Palmetto MetroRail Station	7:34 AM	8:37 AM	9:17 AM	10:09 AM	10:50 AM	11:40 AM	12:14 PM	1:06 PM	1:44 PM	2:30 PM	3:14 PM	4:14 PM	4:59 PM	5:59 PM	6:43 PM	7:49 PM	8:14 PM	9:20 PM

Attachment C

Trip Generation Calculations

Scenario 1 Trip Generation

AM PEAK HOUR TRIP GENERATION COMPARISON

EXISTING WEEKDAY AM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS		
G R O U P 1	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total
	General Office Building	11	710	95.853	ksf	88%	12%	142	19	161	0.7%	1	141	19	160	0.0%	0	141	19	160	0.0%	0	141	19	160
	Medical-Dental Office Building	11	720	6.617	ksf	79%	21%	17	4	21	0.7%	0	17	4	21	0.0%	0	17	4	21	0.0%	0	17	4	21
	3																								
	4																								
	5																								
	6																								
	7																								
	8																								
	9																								
	10																								
	11																								
	12																								
	13																								
	14																								
	15																								
ITE Land Use Code		Rate or Equation			Total:	159	23	182	0.7%	1	158	23	181	0.0%	0	158	23	181	0.0%	0	158	23	181		
710		$LN(Y) = 0.86 * LN(X) + 1.16$																							
720		$LN(Y) = 0.9 * LN(X) + 1.34$																							

PROPOSED WEEKDAY AM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
G R O U P 2	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	Warehousing	11	150	267.148	ksf	77%	23%	43	13	56	0.7%	1	42	13	55	0.0%	0	42	13	55	0.0%	0	42	13	55	
	General Office Building	11	710	13.4	ksf	88%	12%	26	4	30	0.7%	0	26	4	30	0.0%	0	26	4	30	0.0%	0	26	4	30	
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation			Total:	69	17	86	0.7%	1	68	17	85	0.0%	0	68	17	85	0.0%	0	68	17	85			
150		$Y=0.12 * (X) + 23.62$																								
710		$LN(Y) = 0.86 * LN(X) + 1.16$																								
																				NET NEW TRIPS						
																				IN OUT TOTAL						
																				NET NEW TRIPS						
																				-90 -6 -96						

Scenario 1 Trip Generation

PM PEAK HOUR TRIP GENERATION COMPARISON

EXISTING WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
GROUP 1	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	General Office Building	11	710	95.853	ksf	17%	83%	27	133	160	0.7%	1	27	132	159	0.0%	0	27	132	159	0.0%	0	27	132	159	
	Medical-Dental Office Building	11	720	6.617	ksf	30%	70%	7	17	24	0.7%	0	7	17	24	0.0%	0	7	17	24	0.0%	0	7	17	24	
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		34	150	184	0.7%	1	34	149	183	0.0%	0	34	149	183	0.0%	0	34	149	183			
710		LN(Y) = 0.83*LN(X)+1.29																								
720		Y=4.07*(X)+3.17																								

PROPOSED WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS												
GROUP 2	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total										
	Warehousing	11	150	267.148	ksf	28%	72%	17	42	59	0.7%	1	17	41	58	0.0%	0	17	41	58	0.0%	0	17	41	58										
	General Office Building	11	710	13.4	ksf	17%	83%	5	26	31	0.7%	0	5	26	31	0.0%	0	5	26	31	0.0%	0	5	26	31										
	3																																		
	4																																		
	5																																		
	6																																		
	7																																		
	8																																		
	9																																		
	10																																		
	11																																		
	12																																		
	13																																		
	14																																		
	15																																		
ITE Land Use Code		Rate or Equation		Total:		22	68	90	0.7%	1	22	67	89	0.0%	0	22	67	89	0.0%	0	22	67	89												
150		Y=0.12*(X)+26.48																																	
710		LN(Y) = 0.83*LN(X)+1.29																																	
																				NET NEW TRIPS				IN	OUT	TOTAL									

Scenario 2 Trip Generation

PM PEAK HOUR TRIP GENERATION COMPARISON

EXISTING WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
GROUP 1	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	General Office Building	11	710	95.853	ksf	17%	83%	27	133	160	0.7%	1	27	132	159	0.0%	0	27	132	159	0.0%	0	27	132	159	
	Medical-Dental Office Building	11	720	6.617	ksf	30%	70%	7	17	24	0.7%	0	7	17	24	0.0%	0	7	17	24	0.0%	0	7	17	24	
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		34	150	184	0.7%	1	34	149	183	0.0%	0	34	149	183	0.0%	0	34	149	183			
710		LN(Y) = 0.83*LN(X)+1.29																								
720		Y=4.07*(X)+3.17																								

PROPOSED WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
GROUP 2	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	Warehousing	11	150	245.059	ksf	28%	72%	16	40	56	0.7%	1	15	40	55	0.0%	0	15	40	55	0.0%	0	15	40	55	
	General Office Building	11	710	11.2	ksf	17%	83%	5	22	27	0.7%	0	5	22	27	0.0%	0	5	22	27	0.0%	0	5	22	27	
	3	Medical-Dental Office Building	11	720	6.617	ksf	30%	70%	7	17	24	0.7%	0	7	17	24	0.0%	0	7	17	24	0.0%	0	7	17	24
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		28	79	107	0.7%	1	27	79	106	0.0%	0	27	79	106	0.0%	0	27	79	106			
150		Y=0.12*(X)+26.48																								
710		LN(Y) = 0.83*LN(X)+1.29																								
720		Y=4.07*(X)+3.17																								
																				NET NEW TRIPS				-7	-70	-77



Means of Transportation to Work

Note: This is a modified view of the original table produced by the U.S. Census Bureau. This download or printed version may have missing information from the original table.

Label	(11+0+0)/1633 = 0.7%	Block Group 1; Census Tract 90.65; Miami-Dade County; Florida	
		Estimate	Margin of Error
▼ Total:		1,633	±291
▼ Car, truck, or van:		1,219	±245
Drove alone		1,017	±212
▼ Carpooled:		202	±133
In 2-person carpool		180	±135
In 3-person carpool		22	±36
In 4-person carpool		0	±15
In 5- or 6-person carpool		0	±15
In 7-or-more-person carpool		0	±15
▼ Public transportation (excluding taxicab):		11	±18
Bus		11	±18
Subway or elevated rail		0	±15
Long-distance train or commuter rail		0	±15
Light rail, streetcar or trolley (carro público in Puerto Rico)		0	±15
Ferryboat		0	±15
Taxicab		59	±75
Motorcycle		0	±15
Bicycle		0	±15
Walked		0	±15
Other means		7	±12
Worked from home		337	±152

Table Notes

Means of Transportation to Work

Survey/Program: American Community Survey

Universe: Workers 16 years and over

Year: 2022

Estimates: 5-Year

Table ID: B08301

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, the decennial census is the official source of population totals for April 1st of each decennial year. In between censuses, the Census Bureau's Population Estimates Program produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Information about the American Community Survey (ACS) can be found on the ACS website. Supporting documentation including code lists, subject definitions, data accuracy, and statistical testing, and a full list of ACS tables and table shells (without estimates) can be found on the Technical Documentation section of the ACS website.

Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the

[Methodology](#)

section.

Source: U.S. Census Bureau, 2018-2022 American Community Survey 5-Year Estimates

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see ACS Technical Documentation). The effect of nonsampling error is not represented in these tables.

Workers include members of the Armed Forces and civilians who were at work last week.

Several means of transportation to work categories were updated in 2019. For more information, see: Change to Means of Transportation.

The 2018-2022 American Community Survey (ACS) data generally reflect the March 2020 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas. In certain instances, the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineation lists due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on 2020 Census data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Explanation of Symbols:

-

The estimate could not be computed because there were an insufficient number of sample observations. For a ratio of medians estimate, one or both of the median estimates falls in the lowest interval or highest interval of an open-ended distribution. For a 5-year median estimate, the margin of error associated with a median was larger than the median itself.

N

The estimate or margin of error cannot be displayed because there were an insufficient number of sample cases in the selected geographic area.

(X)

The estimate or margin of error is not applicable or not available.

median-

The median falls in the lowest interval of an open-ended distribution (for example "2,500-")

median+

The median falls in the highest interval of an open-ended distribution (for example "250,000+").

**

The margin of error could not be computed because there were an insufficient number of sample observations.

The margin of error could not be computed because the median falls in the lowest interval or highest interval of an open-ended distribution.

Scenario 2 Trip Generation

AM PEAK HOUR TRIP GENERATION COMPARISON

EXISTING WEEKDAY AM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
G R O U P 1	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	1 General Office Building	11	710	95.853	ksf	88%	12%	142	19	161	0.7%	1	141	19	160	0.0%	0	141	19	160	0.0%	0	141	19	160	
	2 Medical-Dental Office Building	11	720	7.555	ksf	79%	21%	19	5	24	0.7%	0	19	5	24	0.0%	0	19	5	24	0.0%	0	19	5	24	
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		161	24	185	0.7%	1	160	24	184	0.0%	0	160	24	184	0.0%	0	160	24	184			
710		LN(Y) = 0.86*LN(X)+1.16																								
720		LN(Y) = 0.9*LN(X)+1.34																								

PROPOSED WEEKDAY AM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
G R O U P 2	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	1 Warehousing	11	150	269.418	ksf	77%	23%	43	13	56	0.7%	1	42	13	55	0.0%	0	42	13	55	0.0%	0	42	13	55	
	2 General Office Building	11	710	11.2	ksf	88%	12%	22	3	25	0.7%	0	22	3	25	0.0%	0	22	3	25	0.0%	0	22	3	25	
	3 Medical-Dental Office Building	11	720	7.555	ksf	79%	21%	19	5	24	0.7%	0	19	5	24	0.0%	0	19	5	24	0.0%	0	19	5	24	
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		84	21	105	0.7%	1	83	21	104	0.0%	0	83	21	104	0.0%	0	83	21	104			
150		Y=0.12*(X)+23.62																								
710		LN(Y) = 0.86*LN(X)+1.16																								
720		LN(Y) = 0.9*LN(X)+1.34																								
																				NET NEW TRIPS				-77	-3	-80

Scenario 2 Trip Generation

PM PEAK HOUR TRIP GENERATION COMPARISON

EXISTING WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
GR O U P 1	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	General Office Building	11	710	95.853	ksf	17%	83%	27	133	160	0.7%	1	27	132	159	0.0%	0	27	132	159	0.0%	0	27	132	159	
	Medical-Dental Office Building	11	720	7.555	ksf	30%	70%	8	20	28	0.7%	0	8	20	28	0.0%	0	8	20	28	0.0%	0	8	20	28	
	3																									
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		35	153	188	0.7%	1	35	152	187	0.0%	0	35	152	187	0.0%	0	35	152	187			
710		$LN(Y) = 0.83 * LN(X) + 1.29$																								
720		$Y = 4.07 * (X) - 3.17$																								

PROPOSED WEEKDAY PM PEAK HOUR TRIP GENERATION

ITE TRIP GENERATION CHARACTERISTICS					DIRECTIONAL DISTRIBUTION		BASELINE TRIPS			MULTIMODAL REDUCTION		GROSS TRIPS			INTERNAL CAPTURE			EXTERNAL VEHICLE TRIPS			PASS-BY CAPTURE		NET NEW EXTERNAL TRIPS			
GR O U P 2	Land Use	ITE Edition	ITE Code	Scale	ITE Units	Percent		In	Out	Total	Percent	MR Trips	In	Out	Total	Percent	IC Trips	In	Out	Total	Percent	PB Trips	In	Out	Total	
	Warehousing	11	150	269.418	ksf	28%	72%	17	42	59	0.7%	1	16	42	58	0.0%	0	16	42	58	0.0%	0	16	42	58	
	General Office Building	11	710	11.2	ksf	17%	83%	5	22	27	0.7%	0	5	22	27	0.0%	0	5	22	27	0.0%	0	5	22	27	
	3	Medical-Dental Office Building	11	720	7.555	ksf	30%	70%	8	20	28	0.7%	0	8	20	28	0.0%	0	8	20	28	0.0%	0	8	20	28
	4																									
	5																									
	6																									
	7																									
	8																									
	9																									
	10																									
	11																									
	12																									
	13																									
	14																									
	15																									
ITE Land Use Code		Rate or Equation		Total:		30	84	114	0.7%	1	29	84	113	0.0%	0	29	84	113	0.0%	0	29	84	113			
150		$Y = 0.12 * (X) + 26.48$																								
710		$LN(Y) = 0.83 * LN(X) + 1.29$																								
720		$Y = 4.07 * (X) - 3.17$																								
																				NET NEW TRIPS				-6	-68	-74